



MT. OPTIMAT MT. INTEGRATED





FULLY AUTOMATED STORAGE OF YOUR MEDICATION IN YOUR ROBOT

The MT.OPTIMAT and MT.INTEGRATED stores all medication boxes in the robot, without any interference of the pharmacist.

Simply pour your products, delivered from the wholesaler or manufacturer in the MT.OPTIMAT. The products are then scanned automatically in order to be identified and stores in the robot.

Linked to your pharmacy software, your orders are accurately controlled, which guarantees a comprehensive stock management.



Its innovative exterior without pivoting doors provides a reduced space requirement in your pharmacy.

.....

Easily connectable to your MT.XL shelf robot and standard available in several colors to match your pharmacy interior design.

Can be placed against each MT.XL (also in a later stage).

Autonomous operation, with priority on the delivery to the patient.

The MT.OPTIMAT unit is always accessible for manual selection of products.

COMPACT DIMENSIONS

..... L: 2145 mm H: 994 mm W: 665 mm.

SPEED

Processing up to five boxes per minute

CAPACITY

Standard buffer to 500 boxes, expandable up to 4,000 boxes

IDENTIFICATION OF THE PACK-**AGES** ••••••

Full DATA MATRIX - 2D code compliant; reads all barcode types available on the medication market.

Unique patented measuring system without sensitive components (no cameras, no vacuum).

CONSUMPTION

Minimal consumption by newest low-voltage technology.

INTERNAL CONTROL AND OPERATION

For the internal control of the robot, we use the fastest possible communications technology available on the market.

FLEXIBLE INTEGRATION

Simple and easily installable to various places around the robot (both against long as end side of the robot)





INTEGRATED AUTOMATIC STORA-GE UNIT

Access to the robot via an ergonomic loading door.

Patented cutting-edge technology without vacuum or sensitive systems camera.

Compact dimensions ensure even ample storage opportunities in the robot.

COMPACT DIMENSIONS

SPEED

Processing up to five boxes per minute.

CAPACITY

Standard buffer up to 350 boxes.

CONSUMPTION

Minimal consumption by newest low-voltage technology.

IDENTIFICATION OF THE PACK-AGES

Full DATA MATRIX - 2D code compliant, reads all barcode types available on the medication market.

Unique patented measuring system without sensitive components.

- For the internal control of the robot,

we use the fastest possible communications technology available on the market.

Errors with packages are automatically rejected outside the robot. The robot functionality is not interrupted to collect packaging in the robot.



LODEWIJK DE RAETLAAN 16 B-8870 IZEGEM

- **T** +32 (0)51 31 21 81
- **F** +32 (0)51 31 57 85
- E INFO@MEDITECH-PHARMA.COM